



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

The Wilson Bulletin

Official Organ of The Wilson Ornithological Club

An Illustrated Quarterly Magazine
Devoted to the Study of
Birds in the Field

Edited by Lynds Jones



Nineteen Hundred and Seven

Old Series, Volume XIX

New Series, Volume XIV

Published by the Club at Oberlin, Ohio

Index to Vol. 19, 1907.

- Acanthis linaria*, 24, 72, 115.
Accipiter atricapillus, 22, 27, 95, 114, 155.
 cooperi, 22, 95.
 velox, 22, 50, 92, 94, 97.
Actitis macularia, 18, 22, 88.
Ægialitis meloda, 89.
 semipalmata, 89.
Ægithalus caudatus, 3, 4.
Actodromas baridii, 85.
 maculatus, 85.
 minutilla, 21, 85.
Agelaius phoeniceus, 24, 115, 144, 155.
Aix sponsa, 21, 52.
Ammodramus henslowii, 24, 148.
 leconteii, 20.
Ampelis cedrorum, 19, 25, 156.
 garrulus, 115.
Anas boschas, 21, 51, 113.
 obscura, 21, 51.
 rubripes, 51.
Anthus pensylvanicus, 26.
 trivialis, 12.
Antrostomus carolinensis, 135.
 vociferus, 18, 23, 135.
Aquila chrysaetos, 30.
Archibuteo lagopus sancti-johannis, 22, 27, 96, 114.
Ardea cærulea, 82.
 herodias, 18, 21, 82.
Ardetta exilis, 21, 82.
Arenaria morinella, 90.
Asio accipitrinus, 23, 98, 114.
 wilsonianus, 23, 114.
Astragalinus tristis, 19, 24, 115, 147, 156.
Auklet, Cassin's, 127.
Aythya affinis, 53.
 americana, 21, 52.
 collaris, 53.
 marila, 53.
 vallisneria, 21, 52.
Bæolophus bicolor, 26.
Baldpate, 21, 52, 118.
Bartramia longicauda, 22, 32, 114.
Bittern, American, 21, 82, 104, 114.
 Least, 21, 82, 104.
Blackbird, Brewer's, 110.
 Red-winged, 24, 46, 63, 105, 108, 110, 111, 115, 144, 155.
 Rusty, 24, 106, 111, 115, 145.
 Yellow-headed, 110.
Blue-bill, 15.
Bluebird, 19, 27, 32, 46, 63, 107, 157.
Bob-white, 2, 90, 105, 155.
Bobolink, 19, 24, 46, 105, 110, 112, 143, 144.
Bonasa umbellus, 18, 22, 90, 155, 157.
Botaurus lentiginosus, 21, 82, 114.
Brant, 33.
 White-bellied, 33.
Branta bernicla, 32.
 glaucogastra, 33.
 canadensis, 21, 54, 114.
Bubo virginianus, 23, 99.
 pallascens, 114.
Bufflehead, 53, 104.
Bunting, Indigo, 25, 56, 102, 106, 108, 110, 153, 164.
 Lark, 110, 111.
 Snow, 115.
Buteo borealis, 18, 22, 95.
 latissimus, 22.
 lineatus, 18, 22, 96.
 platypterus, 28, 59, 96.
Butorides virescens, 21, 83.
Calcarius lapponicus, 115.
Calidris arenaria, 86.
Canachites canadensis, 27.
Canvas-back, 21, 52.
Cardinal, 25, 49, 106, 151, 152, 156.
Cardinalis cardinalis, 25, 151, 156.
Carpodacus purpureus, 24, 146, 155.
Catbird, 19, 26, 56, 63, 94, 102, 107, 108, 163, 164.
Catharista atrata, 33.
Cathartes aura, 91, 155.
Centurus carolinus, 155.
Ceophlæus pileatus, 18, 155.
 abieticola, 134.
Certhia familiaris americana, 19, 26, 115.
Ceryle alcyon, 18, 23, 134.
Chætura pelagica, 18, 23, 73, 136.
Charadrius dominicus, 22, 89.

- Charitonetta albeola, 53.
 Chat, Yellow-breasted, 20, 26, 49, 102, 107, 164.
 Chaulelasmus streperus, 21, 51.
 Chen hyperborea, 53, 114.
 Chewink, 164.
 Chickadee, 12, 19, 26, 28, 107, 115.
 Carolina, 107, 157.
 Hudsonian, 27.
 Chondestes grammacus, 149.
 Chordeiles virginianus, 18, 23, 136.
 Chuck-will's-widow, 135.
 Circus hudsonius, 22, 92, 114.
 Cistothorus stellaris, 26.
 Clangula clangula americana, 21, 53.
 Coccyzus americanus, 23, 133.
 erythrophthalmus, 18, 23, 133.
 Colaptes auratus luteus, 18, 23, 114, 135, 155.
 cafer collaris, 114.
 Colinus virginianus, 22, 90, 155.
 Colymbus auritus, 21, 49.
 holbælii, 21.
 Compsothlypis americana, 25.
 Contopus virens, 19.
 Coot, American, 15, 22, 32, 84, 105, 155.
 Cormorant, Baird's, 124, 127.
 Double-crested, 51, 104, 120.
 Corvus brachyrhynchus, 19, 24, 115, 143, 155.
 corax principalis, 143.
 Coturniculus savannarum passerinus, 24, 148.
 Cowbird, 24, 105, 144.
 Crane, Sandhill, 83.
 Whooping, 83, 114.
 Creeper, Brown, 19, 26, 31, 59, 107, 115.
 Crow, American, 19, 24, 29, 102, 105, 110, 111, 115, 143, 155.
 Fish, 105, 132.
 Northwest, 124, 127, 132.
 Crossbill, American, 24.
 White-winged, 24, 146.
 Cryptoglaux acadica, 23.
 Curlew, Hudsonian, 88.
 Long-billed, 88.
 Cuckoo, Black-billed, 18, 22, 105, 123.
 Yellow-billed, 23, 102, 105, 133, 164.
 Cyanistes cæruleus, 3, 4, 9.
 cyaneus, 3.
 Cyanocitta cristata, 19, 24, 115, 142, 155.
 Cyanospiza cyanea, 25, 153.
 Dafila acuta, 52, 113.
 Dendroica æstiva, 19, 25.
 blackburniæ, 19, 25.
 cærulea, 25.
 cærulescens, 25.
 castanea, 25.
 coronata, 25, 156.
 discolor, 26.
 maculosa, 25.
 palmarum, 26.
 hypochrisea, 26.
 pensylvanica, 19, 25.
 striata, 25.
 tigrina, 25.
 vigorsii, 19, 26.
 virens, 26.
 Dickcissel, 25, 33, 71, 72, 106, 110, 112, 148, 153.
 Dolichonyx oryzivorus, 19, 24, 153.
 Dove, Mourning, 22, 91, 105, 110, 114, 155, 164.
 DOWITCHER, 21.
 Dryobates pubescens, 155.
 medianus, 18, 21, 114, 134.
 villosus, 23, 114, 134.
 Duck, Black, 15, 17, 21, 51, 104.
 Harlequin, 124, 127.
 Lesser Scaup, 53, 104.
 Ring-necked, 53.
 Ruddy, 53, 104.
 Scaup, 53.
 Wood, 17, 21, 52, 120.
 Eagle, Bald, 2, 13, 15, 18, 22, 72, 96, 105.
 Golden, 30.
 Ectopistes migratorius, 91.
 Eider, King, 30.
 Empidonax flaviventris, 24, 141.
 minimus, 24, 142.
 traillii alnorum, 19, 24, 141.
 virescens, 24.
 Ereunetes pusillus, 86.
 Erismatura jamaicensis, 53.
 Euphagus carolinus, 24, 145.
 Falco columbarius, 21, 97, 114, 155.
 peregrinus anatum, 22, 97.
 rusticolus obsoletus, 22.
 sparverius, 21, 98, 114.
 Finch, California Purple, 124, 132.
 Pine, 58, 63.
 Purple, 24, 59, 72, 106, 146, 155.

- Flamingo, 64.
 Flicker, Northern, 18, 23, 29, 63,
 94, 102, 105, 110, 114, 135,
 155, 163, 164.
 Northwest, 132.
 Red-shafted, 114.
 Florida *cærulea*, 21.
 Flycatcher, Alder, 19, 24, 105,
 141.
 Crested, 24, 65, 102, 105, 139,
 141.
 Green-crested, 24, 56, 105.
 Least, 24, 58, 105, 108, 142.
 Olive-sided, 24, 58, 105, 118,
 140.
 Western, 124.
 Yellow-bellied, 24, 58, 105,
 118, 141.
Fulica americana, 23, 32, 84, 155.
 Gadwall, 21, 51.
Galeoscoptes carolinensis, 19, 26.
Gallinago delicata, 22, 84, 114.
Gallinula galeata, 22, 84.
 Gallinule, Florida, 22, 84, 105.
Gavia imber, 18, 21, 49.
 lumme, 21.
Geothlypis agilis, 26.
 formosa, 26.
 philadelphia, 26.
 trichas, 26.
 Gnatcatcher, Blue-gray, 107, 157.
 Golden-eye, American, 15, 21, 53.
 Godwit, Hudsonian, 87.
 Goldfinch, American, 19, 24, 58,
 59, 63, 106, 110, 112, 115, 147,
 156.
 Goose, Blue, 118.
 Canada, 15, 21, 54, 118.
 Lesser Snow, 30, 53, 114.
 Goshawk, American, 22, 27, 95,
 114, 155.
 Grackle, Bronzed, 24, 46, 106, 110,
 111, 146.
 Purple, 24, 102, 106, 155.
 Grebe, Holbæll's, 21, 124.
 Horned, 21, 49.
 Pied-billed, 21, 49, 104.
 Grosbeak, Evening, 146, 162.
 Pine, 24, 162.
 Rose-breasted, 25, 28, 56, 106,
 153.
 Grouse, Canada, 27, 114.
 Canadian Ruffed, 158.
 Prairie Sharp-tailed, 114.
 Ruffed, 18, 22, 90, 155, 157.
 Gull, Bonaparte's, 50, 104.
 Franklin's, 20, 113.
 Glaucus-winged, 124, 127.
 Herring, 15, 21, 50, 73, 74,
 104.
 Ring-billed, 34, 73, 74
 Western, 124, 127.
Grus americanus, 83.
 mexicanus, 83, 114.
 Guillemot, Pigeon, 124, 127.
 Gyrfalcon, Black, 22.
Haliaeetus leucocephalus, 2, 18, 22,
 96.
Harelda hyemalis, 53.
 Hawk, American Rough-legged,
 22, 27, 96, 103, 114.
 American Sparrow, 23, 98,
 103, 105, 114.
 Broad-winged, 22, 28, 59, 60,
 96, 103, 104.
 Cooper's, 22, 95, 105.
 Duck, 22, 46, 97.
 Marsh, 22, 92, 103, 105, 110,
 114.
 Pigeon, 23, 97, 193, 114, 155.
 Red-shouldered, 14, 18, 22, 96,
 103, 105.
 Red-tailed, 18, 22, 95, 96.
 Sharp-shinned, 22, 44, 46, 50,
 92, 93, 94, 95, 96, 103,
 104, 105, 133, 135, 142,
 143.
 Sparrow, 8, 46, 110, 112.
Helminthophila celata, 25.
 chrysoptera, 25.
 lawrencei, 25.
 leucobronchialis, 25.
 peregrina, 25.
 pinus, 25.
 rubricapilla, 25.
Helmitherus vermicivorus, 25.
Helodromas solitarius, 22, 73, 87.
 Heron, Black-crowned Night, 22,
 83, 105, 120.
 Great Blue, 18, 21, 82, 104,
 110.
 Green, 21, 83, 105, 165.
 Little Blue, 21, 82, 120.
 Northwest Coast, 124, 132.
Hesperiphona vespertina, 146.
Hirundo erythrogaster, 19, 25.
Horizopus virens, 24, 141.
 Hummingbird, Ruby-throated, 23,
 46, 57, 64, 65, 66, 103, 105,
 137, 138.
Hydrochelidon nigra surinamensis,
 51.

- Hylocichla alicia*, 27.
 fuscescens, 27.
 guttata pallasii, 19, 27.
 mustelina, 26.
 swainsoni, 27.
Icteria virens, 26.
Icterus galbula, 24, 145.
 spurius, 24, 144.
Iridoprocne bicolor, 25.
Jay, Blue, 14, 19, 24, 46, 56, 93,
 94, 97, 105, 110, 115, 142, 155.
Junco hyemalis, 19, 25, 115, 150,
 156.
Junco, Shufeldt's, 124.
 Slate-colored, 19, 25, 32, 55,
 63, 106, 115, 118, 150, 156.
Killdeer, 22, 89, 105, 110, 114, 155.
Kingbird, 18, 23, 56, 57, 105, 110,
 111, 139.
 Arkansas, 110, 112.
Kingfisher, Belted, 18, 23, 105, 110,
 134.
Kinglet, Golden-crowned, 26, 107.
 Ruby-crowned, 26, 107, 115.
Knot, 84.
Lanius borealis, 25, 115.
 ludovicianus excubitorides, 115.
Lark, Desert Horned, 114.
 Horned, 24.
 Prairie Horned, 44, 105, 142.
Larus argentatus, 21, 50.
 delawarensis, 34.
 franklinii, 20.
 philadelphia, 50.
Limosa hæmastica, 87.
Loon, 15, 18, 21, 49, 124, 127.
 Red-throated, 21.
Longspur, Lapland, 115.
 McCown's, 115.
Lophodytes cucullatus, 21, 51.
Lophophanes cristatus, 2, 4, 7.
Loxia curvirostra minor, 24.
 leucopterus, 24, 146.
Macrorhamphus griseus, 22.
Magpie, Black billed, 110, 111,
 115.
Mallard, 15, 21, 51, 113.
Mareca americana, 21, 52.
Martin, Purple, 19, 25, 101, 102,
 106, 110, 119.
 Western, 115.
Megascops asio, 23, 98, 114.
Melanerpes erythrocephalus, 23,
 72, 114, 134.
Meleagris gallopavo, 91.
Melospiza cinerea melodia, 19, 25,
 115, 150, 156.
 georgiana, 25, 151.
 lincolni, 150.
Merganser americanus, 21, 51.
 serrator, 21.
Merganser, American, 21, 51.
 Hooded, 15, 21, 51.
 Red-breasted, 15, 21, 104, 118.
Merula migratoria, 19, 27, 115,
 157.
Mimus polyglottos, 33, 156.
Mniotilta varia, 19, 25.
Mockingbird, 33, 156.
Molothrus ater, 24, 144.
Murre, California, 124.
Murrelet, Marbled, 124.
Myiarchus crinitus, 24, 139.
Nighthawk, 18, 23, 66, 103, 105,
 136.
Nettion carolinensis, 21, 51, 113.
Nuthatch, Pygmy, 16.
 Red-breasted, 19, 107.
 White-breasted, 26, 107, 157.
Numenius hudsonicus, 88.
Nuttallornis borealis, 24, 140.
Nyctea nyctea, 23, 99.
Nycticorax nycticorax nævius, 22,
 83.
Olbiorchilus hiemalis, 26.
Old-squaw, 53.
Olor buccinator, 54.
 columbianus, 54.
Otocoris alpestris, 24, 142.
 hoyti, 115, 142.
 leucolema, 114.
 praticola, 142.
Oriole, Baltimore, 24, 56, 101, 102,
 106, 145, 164.
 Orchard, 24, 56, 57, 101, 102,
 105, 144, 145, 164.
Osprey, American, 23, 98.
Otus asio, 98, 114.
Oven-bird, 19, 26, 31, 56, 102, 107,
 108, 163, 164.
Owl, American Barn, 23, 32.
 American Long-eared, 23, 114.
 Barred, 23, 27.
 Burrowing, 110, 112, 114.
 Florida Burrowing, 69.
 Great Horned, 23, 99.
 Saw-whet, 23, 118.
 Screech, 23, 98, 114, 158, 164.
 Short-eared, 23, 98, 114.
 Snowy, 23, 99.
 Western Horned, 114.
Oxyechus vociferus, 22, 89, 114,

155.
 Oyster-catcher, Black, 127.
Pandion haliaëtus carolinensis, 23, 98.
Panurus biarmicus, 3, 5.
 Panhandle, 4, 5.
Parus bicolor, 157.
 carolinensis, 157.
 hudsonicus, 27.
 major, 3, 4, 10.
 Paroquet, Carolina, 69.
Passerculus sandwichensis savanna, 24, 148.
Passerella iliaca, 24, 151.
Passerina nivalis, 24, 115.
Pediocetes phasianellus campestris, 114.
Pelidna alpina sakhalina, 85.
Penthestes atricapillus, 19, 26, 115.
 palustris, 3, 4, 11.
Periparus ater, 3, 4, 8.
 Petrel, Kæding's, 127.
Petrochelidon lunifrons, 25.
 Pewee, Wood, 19, 24, 56, 94, 102, 105, 141.
Phalacrocorax dilophus, 51.
 Phalarope, Northern, 127.
Philohela minor, 22, 84.
Phœbe, 19, 24, 101, 102, 105, 108, 140, 155.
Pica pica hudsonica, 115.
 Pigeon, Passenger, 91, 166.
Pinicola enucleator leucura, 24.
 Pintail, 52, 113, 118.
Pipilo erythrophthalmus, 25, 151, 156.
 maculatus arcticus, 115.
 Pipit, American, 26, 44, 107.
 Tree, 12.
Piranga erythromelas, 25.
 Plover, American Golden, 22, 89.
 Black-bellied, 43, 88, 89, 97, 120.
 Piping, 30, 89, 105.
 Semipalmated, 86, 89, 105.
Podilymbus podiceps, 21, 49.
Polipotila cærulea, 157.
Poecetes gramineus, 19, 24, 147, 156.
Porzana carolina, 84, 114.
 Progne subis, 19, 25.
 Puffin, Tufted, 124, 127.
Querquedula discors, 21, 52, 113, 155.
Quiscalus quiscula, 24, 155.
 æneus, 24, 146.
 Rail, King, 22, 32, 83, 105.
 Sora, 84.
 Virginia, 22, 83, 105.
Rallus elegans, 22, 32, 83.
 virginianus, 22, 83.
 Raven, Northern, 143.
 Redstart, American, 19, 26, 56, 58, 107, 108, 163, 164.
Regulus calendula, 26, 115.
 satrapa, 26.
Remiza pendulina, 3, 5.
Rhynchophanes macconnii, 115.
Riparia riparia, 25.
 Robin, American, 19, 27, 28, 32, 46, 63, 65, 102, 107, 108, 110, 112, 115, 157, 163, 164.
 Sanderling, 86, 87, 89.
 Sandpiper, Baird's, 85.
 Bartramian, 22, 32, 66, 105, 114.
 Buff-breasted, 87.
 Least, 22, 85.
 Pectoral, 85.
 Red-backed, 85.
 Semipalmated, 85, 86, 87, 89.
 Solitary, 22, 73, 87, 105.
 Spotted, 18, 22, 43, 88, 105, 110.
 Sapsucker, Yellow-bellied, 18, 24, 56, 134.
Sayornis phœbe, 19, 24, 140, 155.
Scolecophagus carolinus, 115.
Seiurus aurocapillus, 19, 26, 31.
 motacilla, 26, 73.
 noveboracensis, 26.
Setophaga ruticilla, 19, 26.
 Shoveller, 21, 113, 118.
 Shrike, Migrant, 106.
 Northern, 25, 115.
 White-rumped, 115.
Sialia sialis, 19, 27, 157.
 Siskin, Pine, 24, 63, 106, 147, 156.
Sitta canadensis, 19, 157.
 carolinensis, 26.
 Snipe, Wilson's, 22, 84, 114.
 Snowflake, 24, 44, 115.
 Sora, 82, 84, 105, 114.
 Sparrow, Chipping, 19, 24, 63, 94, 102, 106, 108, 149, 156, 164.
 English, 63, 102, 156.
 Field, 19, 25, 106, 149, 156, 164.
 Fox, 25, 55, 63, 108, 151.
 Grasshopper, 24, 106, 148, 164.
 Henslow's, 24, 33, 106, 118, 120, 148, 162.

- House, 101, 115, 147, 163.
 Lark, 110, 117, 148, 149.
 Leconte's, 20.
 Lincoln's, 106, 150.
 Nuttall's, 124, 132.
 Savanna, 24, 44, 106, 148.
 Rusty Song, 127, 132.
 Song, 19, 25, 28, 55, 59, 63,
 106, 115, 150, 151, 156,
 164.
 Sooty Fox, 127, 132.
 Swamp, 24, 101, 102, 106, 151.
 Tree, 24, 63, 118, 149.
 Vesper, 19, 24, 28, 106, 108,
 110, 147, 156, 164.
 Western Chipping, 124.
 Western Tree, 115.
 White-crowned, 24, 44, 55,
 63, 106, 149, 156.
 White-throated, 17, 24, 55, 63,
 106, 149, 156.
Spatula clypeata, 21, 113.
Speotyto cunicularia hypogæa, 114.
Sphyrapicus varius, 18, 24, 134.
Spinus pinus, 24, 147, 156.
Spiza americana, 25, 71, 153.
Spizella monticola, 24, 149.
 ocracea, 115.
 pusilla, 19, 25, 76, 80, 150,
 156.
 socialis, 19, 24, 149, 156.
Squatarola squatarola, 88.
 Starling, 24, 105.
Stelgidopteryx serripennis, 25.
Sterna caspia, 50.
 hirundo, 21, 50.
Strix pratincola, 23, 32.
Sturnella magna, 24, 144, 155.
 neglecta, 115.
Sturnus vulgaris, 24.
 Swallow, Bank, 25, 106, 110, 124.
 Barn, 19, 25, 102, 106, 108,
 110, 111, 124, 127.
 Cliff, 25, 106, 110.
 Rough-winged, 25, 66, 106,
 124, 127.
 Tree, 19, 25, 106, 124.
 Violet-green, 124.
 Swan, Whistling, 54.
 Swift, Black, 127.
 Chimney, 18, 23, 56, 73, 102,
 103, 105, 108, 110, 111,
 136, 163.
Sylvania canadensis, 19.
Syrnium varium, 23, 27.
Tachycineta bicolor, 19.
 Tanager, Scarlet, 25, 56, 66, 102,
 106, 108, 164.
 Summer, 56.
 Teal, Blue-winged, 21, 52, 104,
 113, 155.
 Green-winged, 21, 51, 113.
Telmatodytes palustris, 26.
 Tern, Black, 50, 104.
 Caspian, 50, 119.
 Common, 21, 50, 74, 104.
 Thrasher, Brown, 26, 93, 94, 102,
 107, 115, 157.
 Thrush, Gray-cheeked, 27, 57, 67,
 94, 107, 133.
 Hermit, 18, 19, 27, 57, 63, 107,
 108.
 Olive-backed, 18, 27, 57, 63,
 94, 107, 133.
 Russet-backed, 124, 132.
 Wilson's, 27, 57, 63, 107, 108.
 Wood, 26, 56, 102, 107, 108,
 164.
 Tit, Big Cole, 3, 10, 11.
 Brown Cole, 3, 8, 9.
 Blue, 3, 9, 10, 11.
 Crested, 3, 7, 8.
 Great, 3, 10, 11.
 Long-tailed, 3, 4, 5, 6, 7, 13.
 Marsh, 3, 11, 12.
 Swamp, 3, 11, 12.
 Titmouse, Tufted, 26, 107, 157.
Totanus melanoleucus, 18, 22, 87.
 flavipes, 22, 87.
 Towhee, 25, 63, 93, 94, 102, 106,
 108, 151, 156.
 Arctic, 115.
 Oregon, 132.
Thryomanes bewickii, 157.
Toxostoma rufum, 26, 115, 157.
Tringa canutus, 84.
Trochilus colubris, 23, 137.
Tryngites subruficollis, 87.
Thryothorus ludovicianus, 26, 157.
Troglodytes ædon, 26.
 Turkey, Wild, 91.
 Turnstone, Ruddy, 90.
Tyrannus tyrannus, 18, 23, 139.
 Veery, 18.
Vireo flavifrons, 25.
 novaboracensis, 25.
 solitarius, 25.
Vireo, Bell's, 56.
 Blue-headed, 25, 63, 106.
 Philadelphia, 106, 118.
 Red-eyed, 19, 25, 57, 94, 102,
 106, 108, 164.

- Warbling, 56, 101, 102, 106, 164.
 Western Warbling, 124.
 White-eyed, 25, 102, 106.
 Yellow-throated, 25, 106, 108.
 Vulture, Black, 33.
 Turkey, 60, 91, 105, 110, 155.
 Warbler, Bay-breasted, 25, 58, 106.
 Black and White, 19, 25, 106, 108, 164.
 Blackburnian, 19, 25, 58, 107.
 Black-poll, 25, 57, 107.
 Black-throated Blue, 25, 106, 108.
 Black-throated Green, 25, 58, 107.
 Blue-winged, 25, 106, 164.
 Brewster's, 25, 106, 119.
 Canadian, 19, 26, 58, 107, 108.
 Cape May, 25, 58.
 Cerulean, 25, 106.
 Chestnut-sided, 19, 25, 57, 66, 106, 108.
 Connecticut, 26.
 Golden-winged, 25, 106.
 Hooded, 26, 207.
 Golden Pileolated, 132.
 Kentucky, 26, 102, 107, 119, 163, 164.
 Lawrence's, 25.
 Lutescent, 124, 132.
 Magnolia, 25, 57, 106, 108, 163.
 Mourning, 26, 58, 107.
 Myrtle, 25, 56, 106, 108, 156.
 Nashville, 25, 58, 106.
 Northern Parula, 106.
 Orange-crowned, 25, 106.
 Palm, 26, 44, 107.
 Parula, 25, 56.
 Pileolated, 124.
 Pine, 19, 26.
 Prairie, 26, 107.
 Tennessee, 25, 58, 106.
 Wilson's, 26, 58, 107.
 Worm-eating, 25, 106, 118, 164.
 Yellow, 19, 25, 56, 63, 101, 102, 106, 108, 110, 124.
 Yellow Palm, 26, 107.
 Water-Thrush, 26, 57, 107.
 Louisiana, 26, 73, 107.
 Waxwing, Bohemian, 115.
 Cedar, 19, 25, 31, 94, 101, 102, 106, 156.
 Whippoorwill, 18, 23, 105, 135, 136.
 Widgeon, American, 15.
 Wilsonia canadensis, 26, 58.
 mitrata, 26.
 pusilla, 26, 58.
 Woodcock, American, 22, 84, 105, 162.
 Woodpecker, Downy, 18, 23, 105, 114, 155.
 Great Spotted, 7.
 Hairy, 23, 105, 114, 134.
 Northern Downy, 134.
 Northern Pileated, 18, 134.
 Pileated, 155.
 Red-bellied, 155.
 Red-headed, 23, 56, 72, 105, 110, 111, 114, 135.
 Wren, Bewick's, 11, 120, 157.
 Carolina, 26, 49, 157.
 House, 11, 26, 102, 107, 108, 157, 163.
 Long-billed Marsh, 26, 107.
 Short-billed Marsh, 26, 33.
 Western Winter, 132.
 Winter, 4, 26, 63, 107.
 Yellow-legs, 22, 87, 105.
 Greater, 18, 22, 87, 105.
 Yellow-throat, Maryland, 26, 56, 164.
 Northern, 107, 108.
 Zamelodia ludoviciana, 25, 153.
 Zenaidura macroura, 22, 91, 114, 155.
 Zenotrichia albicollis, 24, 149, 156.
 leucophrys, 24, 149.